

SedCatch® 8oz Dewatering Bag/ Tube™ Geotextile Specification

Material	Polypropylene
Weight	8 oz.
Construction	Needle Punched

Property	Test Method	MARV
Tensile Strength (Grab)	ASTM D-4632	225 lbs
Elongation	ASTM D-4632	50%
Puncture	ASTM D-4833	130 lbs
Mullen Burst	ASTM D-3786	425 psi
Trapezoidal Tear	ASTM D-4533	90 lbs
UV Resistance	ASTM D-4355	70%
Apparent Opening Size	ASTM D-4751	80 Sieve = .18mm
Permittivity	ASTM D-4491	1.26 sec ⁻¹
Water Flow Rate	ASTM D-4491	100 gpm/ft ²